


# NX6 (fixed installation)

6mm pixel pitch, 2,000 nits, true black indoor LED display



Thanks to its black LED, the NX6 delivers more contrast and deeper black levels than any other product on the market. Black LED is only one element that makes the NX6 unique. Key advances in base materials, mechanical design and color processing have raised the bar of LED displays to new heights of image quality.

- Phenomenal black levels
- 4,200:1 contrast ratio
- 2,000 nits brightness
- 16-bit color processing
- Replaceable shaders
- Consistent uniformity
- High Definition-ready
- Modular creativity

**Product specifications****NX6 (FIXED INSTALLATION)****General specifications**

Pixel pitch	6.22 mm
Brightness	2,000 nits
LED configuration	3-in-1 SMD
Pixel density	25,829/sqm 2,402/sqf 5,832/tile (72x81)
Hor. viewing angle	120°
Vert. viewing angle	+60°, -60° (@ 50% brightness)
Contrast ratio	4,200:1 (at 500 lux)
Lifetime	60,000 hours to 75% of initial brightness
Power consumption	219 W/tile (max) 104 W average
Operation power voltage	200-240V / 50-60Hz
Tile dimensions	Width: 448mm (17.6") Height: 504mm (19.8") Depth: 228.6mm (9")
Weight / Tile	13.8 kg/30.3 lbs
IP rating	Indoor use only

Last updated: 10 Jul 2024

© 2024 Barco nv. All rights reserved. Reproduction in whole or in part without written permission is prohibited. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. Due to continued innovation, information and technical specifications are subject to change without prior notice. Please check [www.barco.com](http://www.barco.com) for the latest specifications.