

Name	Version	Description	Licenses
adduser	3.134	add and remove users and groups	GPL-2+,GPL-2,GPL-2, GPL-2+,GPL-3,GPL-2+
apt	2.6.1	commandline package manager	BSD-3-clause, Expat, GPL-2, GPL-2+,GPL-2,BSD-3-clause, GPL-2, GPL-2+, GPL-2., public domain,GPL-3,AsIs,BSD-3-clause, Expat, GPL-2, GPL-2+
base-files	12.4	Debian base system miscellaneous files	GPL,GPL-3
base-passwd	3.6.1	Debian base system master password and group files	GPL-2, public-domain,GPL-2,GPL-2, GPL-2.,GPL-2, public-domain
bash	5.2.15-2+b2	GNU Bourne Again SHell	BSD-4-clause-UC, GFDL-NIV-1.3, GPL-2+, GPL-3+, GPL-3+ with Bison exception, Latex2e, MIT-like, permissive, GFDL-1.3, GPL-2, GPL-3,BSD-4-clause-UC, GPL-2, GPL-2+, GPL-3, GPL-3+,GPL-3,UCB,AsIs,BSD-4-clause-UC, GFDL-NIV-1.3, GPL-2+, GPL-3+, GPL-3+ with Bison exception, Latex2e, MIT-like, permissive
bsdutils	1:2.38.1-5+b1	basic utilities from 4.4BSD-Lite	BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain,GPL-2, GPL-3, LGPL, LGPL-2, LGPL-2.1, LGPL-3,BSD-3-clause, BSD-4-clause, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, public domain,GPL-3,UCB,AsIs,BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain
ca-certificates	20230311	Common CA certificates	GPL-2+, MPL-2.0,GPL-2,GPL-2, GPL-2+, Mozilla Public License,GPL-3,GPL-2+, MPL-2.0
coreutils	9.1-1	GNU core utilities	BSD-4-clause-UC, FSFULLR, GFDL-NIV-1.3, GPL-3+, ISC,GFDL-1.3, GPL-3,BSD-4-clause-UC, GPL-3, GPL-3+,GPL-3,UCB,AsIs,BSD-4-clause-UC, FSFULLR, GFDL-NIV-1.3, GPL-3+, ISC
dash	0.5.12-2	POSIX-compliant shell	BSD-3-Clause, BSD-3-clause, GPL-2+, public-domain,GPL-2,BSD-3-Clause, BSD-3-clause, GPL-2, GPL-2+, Public Domain,GPL-3,UCB,BSD-3-Clause, BSD-3-clause, GPL-2+, public-domain

debconf	1.5.82	Debian configuration management system	BSD-2-clause,BSD-2-clause,BSD-2-clause
debian-archive-keyring	2023.3	GnuPG archive keys of the Debian archive	GPL,GPL-3
debianutils	5.7-0.4	Miscellaneous utilities specific to Debian	GPL-2+, SMAIL-GPL, public-domain,GPL-2,GPL-2+, GPL-2., public domain,GPL-2+, SMAIL-GPL, public-domain
diffutils	1:3.8-4	File comparison utilities	FSFAP, FSFULLR, GFDL-NIV-1.3, GPL-2+, GPL-3+, GPL-3+ with autoconf exception, GPL-3+ with texinfo exception, LGPL-2.0+, LGPL-2.1+, LGPL-3.0+, LGPL-3.0+ or GPL-2+, X11, public-domain, GFDL-1.3, GPL-2, GPL-3, LGPL-2, LGPL-2.1, LGPL-3, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2.0+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3.0+, GPL-3, X-Consortium, AsIs, FSFAP, FSFULLR, GFDL-NIV-1.3, GPL-2+, GPL-3+, GPL-3+ with autoconf exception, GPL-3+ with texinfo exception, LGPL-2.0+, LGPL-2.1+, LGPL-3.0+, LGPL-3.0+ or GPL-2+, X11, public-domain
dirmngr	2.2.40-1.1	GNU privacy guard - network certificate management service	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive, CC0-1.0, GPL-3, LGPL-2.1, LGPL-3, BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, GPL-3, AsIs, BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive
dpkg	1.21.22	Debian package management system	BSD-2-clause, GPL-2, GPL-2+, public-domain-s-s-d, GPL-2, BSD-2-clause, GPL-2, GPL-2+, public domain, GPL-3, BSD-2-clause, GPL-2, GPL-2+, public-domain-s-s-d
dumb-init	1.2.5-2	wrapper script which proxies signals to a child	Expat, AsIs, Expat

e2fsprogs	1.47.0-2	ext2/ext3/ext4 file system utilities	Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e, Apache-2.0, GPL, GPL-2, LGPL-2, BSD-3-Clause, GPL-2, GPL-2+, LGPL-2, LGPL-2., GPL-3, AslIs, Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e
findutils	4.9.0-4	utilities for finding files--find, xargs	BSD-3-clause, BSD-3-clause and/or GPL-3+, FSFAP, FSFULLR, GFDL-NIV-1.3+, GPL with automake exception, GPL-2+, GPL-2+ with Autoconf-data exception, GPL-3+, GPL-3+ with Autoconf-data exception, GPL-3+ with Bison-2.2 exception, ISC, ISC and/or LGPL-2.1+, LGPL-2+, LGPL-2.1+, LGPL-3, LGPL-3+, X11, public-domain, GFDL-1.3, GPL-2, GPL-3, LGPL-2, LGPL-2.1, LGPL-3, BSD License, BSD-3-clause, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, public domain, GPL-3, X-Consortium, AslIs, BSD-3-clause, BSD-3-clause and/or GPL-3+, FSFAP, FSFULLR, GFDL-NIV-1.3+, GPL with automake exception, GPL-2+, GPL-2+ with Autoconf-data exception, GPL-3+, GPL-3+ with Autoconf-data exception, GPL-3+ with Bison-2.2 exception, ISC, ISC and/or LGPL-2.1+, LGPL-2+, LGPL-2.1+, LGPL-3, LGPL-3+, X11, public-domain
fontconfig-config	2.14.1-4	generic font configuration library - configuration	AslIs-KeithPackard
fonts-dejavu-core	2.37-6	Vera font family derivate with additional characters	GPL-2+, bitstream-vera, GPL-2, GPL-2, GPL-2+, public domain, GPL-3, GPL-2+, bitstream-vera
gcc-12-base:amd64	12.2.0-14	GCC, the GNU Compiler Collection (base package)	Artistic, GFDL-1.2, GPL, GPL-2, GPL-3, LGPL, BSD-like license, GPL-2, GPL-2+, GPL-3, GPL-3+, GPL-3.0, GPL-3.0., GPL-compatible, LGPL-2.1, LGPL-2.1., Public domain, GPL-3, UCB, AslIs

gnupg	2.2.40-1.1	GNU privacy guard - a free PGP replacement	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive
gnupg-l10n	2.2.40-1.1	GNU privacy guard - localization files	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive
gnupg-utils	2.2.40-1.1	GNU privacy guard - utility programs	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive
gpg	2.2.40-1.1	GNU Privacy Guard -- minimalist public key operations	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive

gpg-agent	2.2.40-1.1	GNU privacy guard - cryptographic agent	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive
gpgconf	2.2.40-1.1	GNU privacy guard - core configuration utilities	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive
gpgsm	2.2.40-1.1	GNU privacy guard - S/MIME version	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive
gpgv	2.2.40-1.1	GNU privacy guard - signature verification tool	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive

gpg-wks-client	2.2.40-1.1	GNU privacy guard - Web Key Service client	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive
gpg-wks-server	2.2.40-1.1	GNU privacy guard - Web Key Service server	BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive,CC0-1.0, GPL-3, LGPL-2.1, LGPL-3,BSD-3-clause, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,Asls,BSD-3-clause, CC0-1.0, Expat, GPL-3+, GPL-3+ or BSD-3-clause, LGPL-2.1+, LGPL-3+, RFC-Reference, TinySCHEME, permissive
grep	3.8-5	GNU grep, egrep and fgrep	GPL-3+,GPL-3,GPL-3+, GPL-3.,GPL-3,GPL-3+
gzip	1.12-1	GNU compression utilities	FSF-manpages, GFDL-1.3+-no-invariant, GPL-3+,GFDL-3, GPL-3,GPL-3, GPL-3+,GPL-3,FSF-manpages, GFDL-1.3+-no-invariant, GPL-3+
hostname	3.23+nmu1	utility to set/show the host name or domain name	GPL-2,GPL-2,GPL-2,GPL-3,GPL-2
icu-devtools	72.1-3	Development utilities for International Components for Unicode	GPL-3, MIT,GPL-3,GPL-3,GPL-3,Asls,GPL-3, MIT
init-system-helpers	1.65.2	helper tools for all init systems	BSD-3-clause, GPL-2+,GPL-2,BSD-3-clause, GPL-2, GPL-2+,GPL-3,BSD-3-clause, GPL-2+
jq	1.6-2.1	lightweight and flexible command-line JSON processor	CC-BY-3.0, Expat, GPL-2.0+, MIT,GPL-2,GPL-2, GPL-2.0+,GPL-3,Asls,CC-BY-3.0, Expat, GPL-2.0+, MIT
krb5-locales	1.20.1-2	internationalization support for MIT Kerberos	GPL-2,Creative Commons, GPL-2, MIT License,GPL-3,UMB,Asls
libabsl20220623:amd64	20220623.1-1	extensions to the C++ standard library	Apache-2.0,Apache-2.0,Apache-2.0
libacl1:amd64	2.3.1-3	access control list - shared library	GPL-2+, LGPL-2+,GPL-2, LGPL-2.1,GPL-2, GPL-2+, LGPL-2+, LGPL-2.1,GPL-3,GPL-2+, LGPL-2+

libaom3:amd64	3.6.0-1	AV1 Video Codec Library	BSD-2-Clause, BSD-2-clause, BSD-3-clause, Expat, ISC, public-domain-md5,BSD-2-Clause, BSD-2-clause, BSD-3-clause, public domain,AsIs,BSD-2-Clause, BSD-2-clause, BSD-3-clause, Expat, ISC, public-domain-md5
libapt-pkg6.0:amd64	2.6.1	package management runtime library	BSD-3-clause, Expat, GPL-2, GPL-2+,GPL-2,BSD-3-clause, GPL-2, GPL-2+, GPL-2., public domain,GPL-3,AsIs,BSD-3-clause, Expat, GPL-2, GPL-2+
libassuan0:amd64	2.5.5-5	IPC library for the GnuPG components	GAP, GAP~FSF, GPL-2+, GPL-2+ with libtool exception, GPL-3+, LGPL-2.1+, LGPL-3+,GPL-2, GPL-3, LGPL-2.1, LGPL-3,GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+,GPL-3,GAP, GAP~FSF, GPL-2+, GPL-2+ with libtool exception, GPL-3+, LGPL-2.1+, LGPL-3+
libattr1:amd64	1:2.5.1-4	extended attribute handling - shared library	GPL-2+, LGPL-2+,GPL-2, LGPL-2.1,GPL-2, GPL-2+, LGPL-2+, LGPL-2.1,GPL-3,GPL-2+, LGPL-2+
libaudit1:amd64	1:3.0.9-1	Dynamic library for security auditing	GPL-2, LGPL-2.1,GPL-1, LGPL-2.1,GPL-1, GPL-2, LGPL-2.1,GPL-3,GPL-2, LGPL-2.1
libaudit-common	1:3.0.9-1	Dynamic library for security auditing - common files	GPL-2, LGPL-2.1,GPL-1, LGPL-2.1,GPL-1, GPL-2, LGPL-2.1,GPL-3,GPL-2, LGPL-2.1
libavif15:amd64	0.11.1-1	Library for handling .avif files	Apache-2.0, BSD-2-Clause, BSD-3-Clause, CC0-1.0, custom-1,Apache-2.0, CC0-1.0,BSD-2-Clause, BSD-3-Clause, Creative Commons,Apache-2.0, BSD-2-Clause, BSD-3-Clause, CC0-1.0, custom-1
libblkid1:amd64	2.38.1-5+b1	block device ID library	BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain,GPL-2, GPL-3, LGPL, LGPL-2, LGPL-2.1, LGPL-3,BSD-3-clause, BSD-4-clause, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, public domain,GPL-3,UCB,AsIs,BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain

libbrotli1:amd64	1.0.9-2+b6	library implementing brotli encoder and decoder (shared libraries)	MIT,AsIs/MIT
libbsd0:amd64	0.11.7-2	utility functions from BSD systems - shared library	BSD-2-clause, BSD-2-clause-NetBSD, BSD-2-clause-author, BSD-2-clause-verbatim, BSD-3-clause, BSD-3-clause-John-Birrell, BSD-3-clause-Regents, BSD-3-clause-author, BSD-4-clause-Niels-Provos, Beerware, Expat, ISC, ISC-Original, libutil-David-Nugent, public-domain,BSD-2-clause, BSD-2-clause-NetBSD, BSD-2-clause-author, BSD-2-clause-verbatim, BSD-3-clause, BSD-3-clause-John-Birrell, BSD-3-clause-Regents, BSD-3-clause-author, BSD-4-clause-Niels-Provos, Public domain,UCB,AsIs,BSD-2-clause, BSD-2-clause-NetBSD, BSD-2-clause-author, BSD-2-clause-verbatim, BSD-3-clause, BSD-3-clause-John-Birrell, BSD-3-clause-Regents, BSD-3-clause-author, BSD-4-clause-Niels-Provos, Beerware, Expat, ISC, ISC-Original, libutil-David-Nugent, public-domain
libbz2-1.0:amd64	1.0.8-5+b1	high-quality block-sorting file compressor library - runtime	BSD-variant, GPL-2,GPL-2,BSD-variant, GPL-2, GPL-2.,GPL-3,BSD-variant, GPL-2
libc6:amd64	2.36-9	GNU C Library: Shared libraries	GPL-2, LGPL-2.1,GPL-2, LGPL-2.1,GPL-3,AsIs
libc6-dev:amd64	2.36-9	GNU C Library: Development Libraries and Header Files	GPL-2, LGPL-2.1,GPL-2, LGPL-2.1,GPL-3,AsIs
libcap2:amd64	1:2.66-4	POSIX 1003.1e capabilities (library)	BSD-3-clause, BSD-3-clause or GPL-2, BSD-3-clause or GPL-2+, GPL-2, GPL-2+,GPL-2,BSD-3-clause, GPL-2, GPL-2+,GPL-3,BSD-3-clause, BSD-3-clause or GPL-2, BSD-3-clause or GPL-2+, GPL-2, GPL-2+
libcap-ng0:amd64	0.8.3-1+b3	alternate POSIX capabilities library	GPL-2+, GPL-3, LGPL-2.1+,GPL-2, GPL-3, LGPL-2.1,GPL-2, GPL-2+, GPL-3, LGPL-2.1, LGPL-2.1+,GPL-2+, GPL-3, LGPL-2.1+
libc-bin	2.36-9	GNU C Library: Binaries	GPL-2, LGPL-2.1,GPL-2, LGPL-2.1,GPL-3,AsIs
libc-dev-bin	2.36-9	GNU C Library: Development binaries	GPL-2, LGPL-2.1,GPL-2, LGPL-2.1,GPL-3,AsIs
libc-devtools	2.36-9	GNU C Library: Development tools	GPL-2, LGPL-2.1,GPL-2, LGPL-2.1,GPL-3,AsIs

libcom-err2:amd64	1.47.0-2	common error description library	Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e, Apache-2.0, GPL, GPL-2, LGPL-2, BSD-3-Clause, GPL-2, GPL-2+, LGPL-2, LGPL-2., GPL-3, AslIs, Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e
libcrypt1:amd64	1:4.4.33-2	libcrypt shared library	Public domain
libcrypt-dev:amd64	1:4.4.33-2	libcrypt development files	Public domain
libcurl4:amd64	7.88.1-10	easy-to-use client-side URL transfer library (OpenSSL flavour)	BSD-3-Clause, BSD-3-clause, BSD-4-Clause-UC, FSFULLR, GPL-2+ with Autoconf-data exception, GPL-2+ with Libtool exception, GPL-3+ with Autoconf-data exception, ISC, X11, curl, GPL-2, BSD-3-Clause, BSD-3-clause, BSD-4- Clause-UC, GPL-2, GPL-2+, GPL-3+, GPL-3, X-Consortium, AslIs, BSD-3-Clause, BSD-3-clause, BSD-4- Clause-UC, FSFULLR, GPL-2+ with Autoconf-data exception, GPL-2+ with Libtool exception, GPL-3+ with Autoconf-data exception, ISC, X11, curl
libdav1d6:amd64	1.0.0-2	fast and small AV1 video stream decoder (shared library)	BSD-2-clause, ISC, public-domain, BSD-2-clause, Public Domain, AslIs, BSD-2-clause, ISC, public-domain
libdb5.3:amd64	5.3.28+dfsg2-1	Berkeley v5.3 Database Libraries [runtime]	Artistic or BSD-3-clause, BSD-3-clause, BSD-3-clause-fjord, GPL, GPL or Artistic, GPL-3, MIT-old, Ms-PL, Sleepycat, TCL-like, X11, zlib, Artistic, GPL, GPL-3, BSD-3-clause, BSD-3-clause-fjord, GPL-3, X-Consortium, UCB, AslIs, Artistic or BSD-3-clause, BSD-3-clause, BSD-3-clause-fjord, GPL, GPL or Artistic, GPL-3, MIT-old, Ms-PL, Sleepycat, TCL-like, X11, zlib
libde265-0:amd64	1.0.11-1	Open H.265 video codec implementation	BSD-4-clause, GPL-3+, LGPL-3+, other-1, public-domain-1, GPL-3, LGPL-3, BSD license
libdebconfclient0:amd64	0.27	Debian Configuration Management System (C-implementation library)	BSD-2-Clause, BSD-2-clause, GPL-2+, GPL-2, BSD-2-Clause, BSD-2-clause, GPL-2, GPL-2+, public domain, GPL-3, BSD-2-Clause, BSD-2-clause, GPL-2+

libdeflate0:amd64	1.14-1	fast, whole-buffer DEFLATE-based compression and decompression	Expat,AsIs,Expat
libexpat1:amd64	2.5.0-1	XML parsing C library - runtime library	MIT,AsIs/MIT
libext2fs2:amd64	1.47.0-2	ext2/ext3/ext4 file system libraries	Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e,Apache-2.0, GPL, GPL-2, LGPL-2,BSD-3-Clause, GPL-2, GPL-2+, LGPL-2, LGPL-2.,GPL-3,AsIs,Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e
libffi8:amd64	3.4.4-1	Foreign Function Interface library runtime	Expat, GPL, GPL-2+, GPL-3+, MPL-1.1 or GPL-2+ or LGPL-2.1+, X11, public-domain,GPL,GPL-2, GPL-2+, GPL-3+, GPL-3+, LGPL-2.1, LGPL-2.1+, Mozilla Public License, public domain,GPL-3,X-Consortium,AsIs,Expat, GPL, GPL-2+, GPL-3+, MPL-1.1 or GPL-2+ or LGPL-2.1+, X11, public-domain
libfile-find-rule-perl	0.34-3	module to search for files based on rules	Artistic, Artistic or GPL-1+, GPL-1+,Artistic, GPL-1,GPL-1, GPL-1+,GPL-3,Artistic, Artistic or GPL-1+, GPL-1+
libfontconfig1:amd64	2.14.1-4	generic font configuration library - runtime	AsIs-KeithPackard
libfreetype6:amd64	2.12.1+dfsg-5	FreeType 2 font engine, shared library files	BSD-3-Clause, BSL-1.0, FSFAP, FTL, GPL-2+, GPL-3+, MIT, OpenGroup-BSD-like, Public-Domain, Zlib,GPL-2, GPL-3,BSD-3-Clause, BSD-like, GPL-2, GPL-2+, GPL-3, GPL-3+, Public domain, public domain,GPL-3,OpenGroup,X-Consortium,AsIs,BSD-3-Clause, BSL-1.0, FSFAP, FTL, GPL-2+, GPL-3+, MIT, OpenGroup-BSD-like, Public-Domain, Zlib
libgav1-1:amd64	0.18.0-1+b1	AV1 decoder developed by Google -- runtime library	Apache-2.0, BSD-3-clause,Apache-2.0,BSD-3-clause,Apache-2.0, BSD-3-clause
libgcc-s1:amd64	12.2.0-14	GCC support library	Artistic, GFDL-1.2, GPL, GPL-2, GPL-3, LGPL, BSD-like license, GPL-2, GPL-2+, GPL-3, GPL-3+, GPL-3.0, GPL-3.0., GPL-compatible, LGPL-2.1, LGPL-2.1., Public domain,GPL-3,UCB,AsIs

libgcrypt20:amd64	1.10.1-3	LGPL Crypto library - runtime library	GPL-2, LGPL,BSD-style, Creative Commons, GPL-2, Public domain, public domain,GPL-3,X-Consortium,Asls
libgd3:amd64	2.3.3-9	GD Graphics Library	BSD-3-clause, GAP~Makefile.in, GAP~configure, GD, GPL-2+, GPL-2+ with Autoconf exception, HPND, MIT, WEBP, XFIG,GPL-2,BSD-3-clause, GPL-2, GPL-2+,GPL-3,BSD-3-clause, GAP~Makefile.in, GAP~configure, GD, GPL-2+, GPL-2+ with Autoconf exception, HPND, MIT, WEBP, XFIG
libgdbm6:amd64	1.23-3	GNU dbm database routines (runtime version)	GFDL-NIV-1.3+, GPL-2+, GPL-3+,GPL-2, GPL-3,GPL-2, GPL-2+, GPL-3, GPL-3+,GPL-3,GFDL-NIV-1.3+, GPL-2+, GPL-3+
libgdbm-compat4:amd64	1.23-3	GNU dbm database routines (legacy support runtime version)	GFDL-NIV-1.3+, GPL-2+, GPL-3+,GPL-2, GPL-3,GPL-2, GPL-2+, GPL-3, GPL-3+,GPL-3,GFDL-NIV-1.3+, GPL-2+, GPL-3+
libgmp10:amd64	2:6.2.1+dfsg1-1.1	Multiprecision arithmetic library	GPL-2+, GPL-2+ or LGPL-3+, GPL-3+, GPL-3+ with Bison exception, LGPL-3+,GPL-2, GPL-3, LGPL-3,GPL-2+, GPL-2., GPL-3+, GPL-3., LGPL-3+, LGPL-3.,GPL-3,GPL-2+, GPL-2+ or LGPL-3+, GPL-3+, GPL-3+ with Bison exception, LGPL-3+
libgnutls30:amd64	3.7.9-2	GNU TLS library - main runtime library	Apache-2.0, GFDL-1.3, GPL, GPL-3, LGPL, LGPL-3,BSD-3-Clause, Creative Commons, GPL-3, LGPL-3, Public domain,GPL-3,Asls,, Apache-2.0, BSD-3-Clause, CCO license, Expat, GPLv3+, GPLv2.1+, GPLv3+_or_GPLv2+, The main library is licensed under GNU Lesser
libgpg-error0:amd64	1.46-1	GnuPG development runtime library	BSD-3-clause, GPL-3+, LGPL-2.1+, LGPL-2.1+ or BSD-3-clause, g10-permissive,GPL-3, LGPL-2.1,BSD-3-clause, GPL-3+, GPL-3., LGPL-2.1+, LGPL-2.1.,GPL-3,BSD-3-clause, GPL-3+, LGPL-2.1+, LGPL-2.1+ or BSD-3-clause, g10-permissive
libgssapi-krb5-2:amd64	1.20.1-2	MIT Kerberos runtime libraries - krb5 GSS-API Mechanism	GPL-2,Creative Commons, GPL-2, MIT License,GPL-3,UMB,Asls

libheif1:amd64	1.15.1-1	ISO/IEC 23008-12:2017 HEIF file format decoder - shared library	BOOST-1.0, BSD-3-clause, BSD-4-clause, GPL-3+, LGPL-3+, MIT,GPL-3, LGPL-3,BSD-3-clause, BSD-4-clause, Boost Software License, GPL-3, GPL-3+, LGPL-3, LGPL-3+, LGPL-3+,GPL-3,UCB,Asls,BOOST-1.0, BSD-3-clause, BSD-4-clause, GPL-3+, LGPL-3+, MIT
libhogweed6:amd64	3.8.1-2	low level cryptographic library (public-key cryptos)	Expat, GAP, GPL-2, GPL-2+, GPL-3+, GPL-3+ with Autoconf exception, LGPL-2+, LGPL-3+, LGPL-3+ or GPL-2+, public-domain,GPL, GPL-2, LGPL, LGPL-2,GPL-2, GPL-2+, GPL-2., GPL-3+, LGPL-2+, LGPL-2., LGPL-3+, public domain,GPL-3,Asls,Expat, GAP, GPL-2, GPL-2+, GPL-3+, GPL-3+ with Autoconf exception, LGPL-2+, LGPL-3+, LGPL-3+ or GPL-2+, public-domain
libicu72:amd64	72.1-3	International Components for Unicode	GPL-3, MIT,GPL-3,GPL-3,GPL-3,Asls,GPL-3, MIT
libicu-dev:amd64	72.1-3	Development files for International Components for Unicode	GPL-3, MIT,GPL-3,GPL-3,GPL-3,Asls,GPL-3, MIT
libidn2-0:amd64	2.3.3-1+b1	Internationalized domain names (IDNA2008/TR46) library	GPL-2+, GPL-3+, LGPL-3+, LGPL-3+ or GPL-2+, Unicode,GPL-2, GPL-3, LGPL-3,GPL-2+, GPL-2., GPL-3+, GPL-3., LGPL-3+, LGPL-3.,GPL-3,GPL-2+, GPL-3+, LGPL-3+, LGPL-3+ or GPL-2+, Unicode
libjbig0:amd64	2.1-6.1	JBIGkit libraries	GPL-2+,GPL-2,GPL-2, GPL-2+,GPL-3,GPL-2+
libjpeg62-turbo:amd64	1:2.1.5-2	libjpeg-turbo JPEG runtime library	BSD-3-clause, BSD-BY-LC-NE, Expat, NTP, Zlib, zlib,BSD-3-clause, BSD-BY-LC-NE, BSD-style license,Asls,BSD-3-clause, BSD-BY-LC-NE, Expat, NTP, Zlib, zlib
libjq1:amd64	1.6-2.1	lightweight and flexible command-line JSON processor - shared library	CC-BY-3.0, Expat, GPL-2.0+, MIT,GPL-2,GPL-2, GPL-2.0+,GPL-3,Asls,CC-BY-3.0, Expat, GPL-2.0+, MIT
libk5crypto3:amd64	1.20.1-2	MIT Kerberos runtime libraries - Crypto Library	GPL-2,Creative Commons, GPL-2, MIT License,GPL-3,UMB,Asls
libkeyutils1:amd64	1.6.3-2	Linux Key Management Utilities (library)	GPL-2+, LGPL-2+,GPL-2, LGPL-2,GPL-2, GPL-2+, LGPL-2+,GPL-3,GPL-2+, LGPL-2+
libkrb5-3:amd64	1.20.1-2	MIT Kerberos runtime libraries	GPL-2,Creative Commons, GPL-2, MIT License,GPL-3,UMB,Asls
libkrb5support0:amd64	1.20.1-2	MIT Kerberos runtime libraries - Support library	GPL-2,Creative Commons, GPL-2, MIT License,GPL-3,UMB,Asls

libksba8:amd64	1.6.3-2	X.509 and CMS support library	GPL-3,GPL-3, LGPL-2.1-or-later,GPL-3,FSFUL, LGPL-2.1-or-later
libldap-2.5-0:amd64	2.5.13+dfsg-5	OpenLDAP libraries	BSD-3-clause, BSD-3-clause-California, BSD-3-clause-variant, BSD-4-clause-California, Beerware, Expat, Expat-ISC, Expat-UNM, F5, FSF-unlimited, GPL-2+, GPL-2+ with Autoconf exception, GPL-2+ with Libtool exception, GPL-3+, GPL-3+ with Autoconf exception, GPL-3+ with Libtool exception, JCG, MIT-XC, NeoSoft-permissive, OpenLDAP-2.8, UMich, public-domain,GPL-2, GPL-3, BSD-3-clause, BSD-3-clause-California, BSD-3-clause-variant, BSD-4-clause-California, GPL-2, GPL-2+, GPL-3, GPL-3+, public domain,GPL-3,X-Consortium,UCB,AsIs,BSD-3-clause, BSD-3-clause-California, BSD-3-clause-variant, BSD-4-clause-California, Beerware, Expat, Expat-ISC, Expat-UNM, F5, FSF-unlimited, GPL-2+, GPL-2+ with Autoconf exception, GPL-2+ with Libtool exception, GPL-3+, GPL-3+ with Autoconf exception, GPL-3+ with Libtool exception, JCG, MIT-XC, NeoSoft-permissive, OpenLDAP-2.8, UMich, public-domain
liblerc4:amd64	4.0.0+ds-2	Limited Error Raster Compression library	Apache-2.0,Apache-2.0,Apache-2.0
liblz4-1:amd64	1.9.4-1	Fast LZ compression algorithm library - runtime	BSD-2-clause, GPL-2+, GPL-2+ or BSD-2-clause,GPL-2,BSD-2-clause, GPL-2, GPL-2+,GPL-3,BSD-2-clause, GPL-2+, GPL-2+ or BSD-2-clause
liblzma5:amd64	5.4.1-0.2	XZ-format compression library	, Autoconf, GPL-2, GPL-2+, LGPL-2.1+, PD, PD-debian, config-h, noderivs, none, permissive-fsf, permissive-nowarranty, probably-PD,GPL-2, GPL-3, LGPL-2, LGPL-2.1,GPL-2, GPL-2+, GPL-3, LGPL-2, LGPL-2.1, LGPL-2.1+, public domain,GPL-3,, Autoconf, GPL-2, GPL-2+, LGPL-2.1+, PD, PD-debian, config-h, noderivs, none, permissive-fsf, permissive-nowarranty, probably-PD

libmd0:amd64	1.0.4-2	message digest functions from BSD systems - shared library	BSD-2-clause, BSD-2-clause-NetBSD, BSD-3-clause, BSD-3-clause-Aaron-D-Gifford, Beerware, ISC, public-domain-md4, public-domain-md5, public-domain-sha1,BSD-2-clause, BSD-2-clause-NetBSD, BSD-3-clause, BSD-3-clause-Aaron-D-Gifford, Public Domain, public domain,Asls,BSD-2-clause, BSD-2-clause-NetBSD, BSD-3-clause, BSD-3-clause-Aaron-D-Gifford, Beerware, ISC, public-domain-md4, public-domain-md5, public-domain-sha1
libmount1:amd64	2.38.1-5+b1	device mounting library	BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain,GPL-2, GPL-3, LGPL, LGPL-2, LGPL-2.1, LGPL-3,BSD-3-clause, BSD-4-clause, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, public domain,GPL-3,UCB,Asls,BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain
libncursesw6:amd64	6.4-4	shared libraries for terminal handling (wide character support)	BSD-3-clause, MIT/X11, X11,BSD-3-clause,X-Consortium,UCB,Asls,BSD-3-clause, MIT/X11, X11
libnettle8:amd64	3.8.1-2	low level cryptographic library (symmetric and one-way cryptos)	Expat, GAP, GPL-2, GPL-2+, GPL-3+, GPL-3+ with Autoconf exception, LGPL-2+, LGPL-3+, LGPL-3+ or GPL-2+, public-domain,GPL, GPL-2, LGPL, LGPL-2,GPL-2, GPL-2+, GPL-2., GPL-3+, LGPL-2+, LGPL-2., LGPL-3+, public domain,GPL-3,Asls,Expat, GAP, GPL-2, GPL-2+, GPL-3+, GPL-3+ with Autoconf exception, LGPL-2+, LGPL-3+, LGPL-3+ or GPL-2+, public-domain
libnghttp2-14:amd64	1.52.0-1	library implementing HTTP/2 protocol (shared library)	BSD-2-clause, Expat, GPL-3+ with autoconf exception, MIT, all-permissive,GPL-3,BSD-2-clause, GPL-3, GPL-3+,GPL-3,Asls,BSD-2-clause, Expat, GPL-3+ with autoconf exception, MIT, all-permissive
libnpth0:amd64	1.6-3	replacement for GNU Pth using system threads	LGPL-2.1+,LGPL-2.1,LGPL-2.1, LGPL-2.1+,LGPL-2.1+

libnsl2:amd64	1.3.0-2	Public client interface for NIS(YP) and NIS+	BSD-3-clause, GPL-2+-autoconf-exception, GPL-2+-libtool-exception, GPL-3+-autoconf-exception, LGPL-2.1, LGPL-2.1+, MIT, permissive-autoconf-m4, permissive-autoconf-m4-no-warranty, permissive-configure, permissive-fsf, permissive-makefile-in,GPL-2, GPL-3, LGPL-2.1,BSD-3-clause, GPL-2, GPL-2+-autoconf-exception, GPL-2+-libtool-exception, GPL-3, GPL-3+-autoconf-exception, LGPL-2.1, LGPL-2.1+,GPL-3,X-Consortium,Asls,BSD-3-clause, GPL-2+-autoconf-exception, GPL-2+-libtool-exception, GPL-3+-autoconf-exception, LGPL-2.1, LGPL-2.1+, MIT, permissive-autoconf-m4, permissive-autoconf-m4-no-warranty, permissive-configure, permissive-fsf, permissive-makefile-in
libnsl-dev:amd64	1.3.0-2	libnsl development files	BSD-3-clause, GPL-2+-autoconf-exception, GPL-2+-libtool-exception, GPL-3+-autoconf-exception, LGPL-2.1, LGPL-2.1+, MIT, permissive-autoconf-m4, permissive-autoconf-m4-no-warranty, permissive-configure, permissive-fsf, permissive-makefile-in,GPL-2, GPL-3, LGPL-2.1,BSD-3-clause, GPL-2, GPL-2+-autoconf-exception, GPL-2+-libtool-exception, GPL-3, GPL-3+-autoconf-exception, LGPL-2.1, LGPL-2.1+,GPL-3,X-Consortium,Asls,BSD-3-clause, GPL-2+-autoconf-exception, GPL-2+-libtool-exception, GPL-3+-autoconf-exception, LGPL-2.1, LGPL-2.1+, MIT, permissive-autoconf-m4, permissive-autoconf-m4-no-warranty, permissive-configure, permissive-fsf, permissive-makefile-in
libnuma1:amd64	2.0.16-1	Libraries for controlling NUMA policy	GPL, LGPL,GPL-3
libnumber-compare-perl	0.03-3	module for performing numeric comparisons in Perl	Artistic, Artistic or GPL-1+, GPL-1+,Artistic, GPL-1,GPL-1, GPL-1+,GPL-3,Artistic, Artistic or GPL-1+, GPL-1+
libonig5:amd64	6.9.8-1	regular expressions library	BSD-2-clause, GPL-2+,GPL-2,BSD-2-clause, GPL-2, GPL-2+,GPL-3,BSD-2-clause, GPL-2+

libp11-kit0:amd64	0.24.1-2	library for loading and coordinating access to PKCS#11 modules - runtime	Apache-2.0, BSD-3-Clause, ISC, ISC+IBM, LGPL-2.1+, permissive-like-automake-output, same-as-rest-of-p11kit, Apache-2.0, LGPL-2.1, BSD-3-Clause, LGPL-2.1, LGPL-2.1+, UCB, AsIs, Apache-2.0, BSD-3-Clause, ISC, ISC+IBM, LGPL-2.1+, permissive-like-automake-output, same-as-rest-of-p11kit
libpam0g:amd64	1.5.2-6	Pluggable Authentication Modules library	BSD-3-clause or GPL, BSD-tcp_wrappers, Beerware, GPL-2, GPL-2+, GPL-3, GPL-3+ with Bison exception, LGPL-2+, public-domain, GPL, GPL-2, GPL-3, LGPL-2, BSD-3-clause, BSD-style, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, public domain, GPL-3, BSD-3-clause or GPL, BSD-tcp_wrappers, Beerware, GPL-2, GPL-2+, GPL-3, GPL-3+ with Bison exception, LGPL-2+, public-domain
libpam-modules:amd64	1.5.2-6	Pluggable Authentication Modules for PAM	BSD-3-clause or GPL, BSD-tcp_wrappers, Beerware, GPL-2, GPL-2+, GPL-3, GPL-3+ with Bison exception, LGPL-2+, public-domain, GPL, GPL-2, GPL-3, LGPL-2, BSD-3-clause, BSD-style, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, public domain, GPL-3, BSD-3-clause or GPL, BSD-tcp_wrappers, Beerware, GPL-2, GPL-2+, GPL-3, GPL-3+ with Bison exception, LGPL-2+, public-domain
libpam-modules-bin	1.5.2-6	Pluggable Authentication Modules for PAM - helper binaries	BSD-3-clause or GPL, BSD-tcp_wrappers, Beerware, GPL-2, GPL-2+, GPL-3, GPL-3+ with Bison exception, LGPL-2+, public-domain, GPL, GPL-2, GPL-3, LGPL-2, BSD-3-clause, BSD-style, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, public domain, GPL-3, BSD-3-clause or GPL, BSD-tcp_wrappers, Beerware, GPL-2, GPL-2+, GPL-3, GPL-3+ with Bison exception, LGPL-2+, public-domain

libpam-runtime	1.5.2-6	Runtime support for the PAM library	BSD-3-clause or GPL, BSD-tcp_wrappers, Beerware, GPL-2, GPL-2+, GPL-3, GPL-3+ with Bison exception, LGPL-2+, public-domain,GPL, GPL-2, GPL-3, LGPL-2,BSD-3-clause, BSD-style, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, public domain,GPL-3,BSD-3-clause or GPL, BSD-tcp_wrappers, Beerware, GPL-2, GPL-2+, GPL-3, GPL-3+ with Bison exception, LGPL-2+, public-domain
libpcre2-8-0:amd64	10.42-1	New Perl Compatible Regular Expression Library- 8 bit runtime files	BSD-2-clause, BSD-3-clause, BSD-3-clause-Cambridge with BINARY LIBRARY-LIKE PACKAGES exception, X11, public-domain,BSD License, BSD-2-clause, BSD-3-clause, BSD-3-clause-Cambridge, public domain,X-Consortium,AsIs,BSD-2-clause, BSD-3-clause, BSD-3-clause-Cambridge with BINARY LIBRARY-LIKE PACKAGES exception, X11, public-domain

libperl5.36:amd64	5.36.0-7	shared Perl library	Artistic, Artistic or GPL-1+ or Artistic-dist, Artistic-2, Artistic-dist, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BZIP, CCO-1.0, DONT-CHANGE-THE-GPL, Expat, Expat or GPL-1+ or Artistic, GPL-1+, GPL-1+ or Artistic, GPL-1+ or Artistic or Artistic-dist, GPL-1+ or Artistic, GPL-2+, GPL-2+ or Artistic, GPL-3+-WITH-BISON-EXCEPTION, HSIEH-BSD, HSIEH-DERIVATIVE, LGPL-2.1, REGCOMP, REGCOMP, RRA-KEEP-THIS-NOTICE, SDBM-PUBLIC-DOMAIN, TEXT-TABS, Unicode, ZLIB, Artistic, GPL-1, GPL-2, LGPL-2.1, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BSD-like license, Creative Commons, GPL-1, GPL-1+, GPL-2, GPL-2+, GPL-3+-WITH-BISON-EXCEPTION, LGPL-2.1, MIT license, Public Domain, public domain, GPL-3, UCB, Asl, Artistic, Artistic or GPL-1+ or Artistic-dist, Artistic-2, Artistic-dist, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BZIP, CCO-1.0, DONT-CHANGE-THE-GPL, Expat, Expat or GPL-1+ or Artistic, GPL-1+, GPL-1+ or Artistic, GPL-1+ or Artistic or Artistic-dist, GPL-1+ or Artistic, GPL-2+, GPL-2+ or Artistic, GPL-3+-WITH-BISON-EXCEPTION, HSIEH-BSD, HSIEH-DERIVATIVE, LGPL-2.1, REGCOMP, REGCOMP, RRA-KEEP-THIS-NOTICE, SDBM-PUBLIC-DOMAIN, TEXT-TABS, Unicode, ZLIB
-------------------	----------	---------------------	---

libpng16-16:amd64	1.6.39-2	PNG library - runtime (version 1.6)	Apache-2.0, BSD-3-clause, BSD-like-with-advertising-clause, GPL-2+, GPL-2+ or BSD-like-with-advertising-clause, expat, libpng, libpng OR Apache-2.0 OR BSD-3-clause, Apache-2.0, GPL-2, BSD-3-clause, BSD-like-with-advertising-clause, GPL-2, GPL-2+, GPL-3, AslS, Apache-2.0, BSD-3-clause, BSD-like-with-advertising-clause, GPL-2+, GPL-2+ or BSD-like-with-advertising-clause, expat, libpng, libpng OR Apache-2.0 OR BSD-3-clause
libpsl5:amd64	0.21.2-1	Library for Public Suffix List (shared libraries)	Chromium, MIT, gnulib, AslS, Chromium, MIT, gnulib
libpython3.11-minimal:am	3.11.2-6	Minimal subset of the Python language (version 3.11)	GPL-2, BSD-like license, BSD-style, GPL-2, GPL-compatible, GPL-compatible licenses, GPL-3, UCB, AslS, * Permission to use this software in any way is granted without, By obtaining, using, and/or copying this software and/or its, Permission is hereby granted, free of charge, to any person, Permission is hereby granted, free of charge, to any person obtaining, Permission to use, copy, modify, Redistribution, This software is provided 'as-is', without any express or implied, This software is provided as-is, without express or implied, binary forms, with or without, distribute this software, distribute this software and, distribute this software for any, its, use in source
librav1e0:amd64	0.5.1-6	Fastest and safest AV1 encoder - shared library	BSD-2-Clause, BSD-2-clause, ISC, BSD-2-Clause, BSD-2-clause, AslS, BSD-2-Clause, BSD-2-clause, ISC
libreadline8:amd64	8.2-1.3	GNU readline and history libraries, run-time libraries	GFDL-NIV-1.3+, GPL-2+, GPL-3, GPL-3+, ISC-no-attribution, GFDL, GPL-2, GPL-3, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2.1+, GPL-3, GFDL-NIV-1.3+, GPL-2+, GPL-3, GPL-3+, ISC-no-attribution
librtmp1:amd64	2.4+20151223.git	toolkit for RTMP streams (shared library)	GPL-2, LGPL-2.1, GPL-2, LGPL-2.1, GPL-3

libsasl2:amd64	2.1.28+dfsg-10	Cyrus SASL - authentication abstraction library	BSD-2-clause, BSD-2.2-clause, BSD-3-clause, BSD-3-clause-JANET, BSD-3-clause-PADL, BSD-4-clause, BSD-4-clause-KTH, BSD-4-clause-UC, FSFULLR, GPL-3, GPL-3+, IBM-as-is, MIT-CMU, MIT-Export, MIT-OpenVision, OpenLDAP, OpenSSL, RSA-MD, SSLeay,GPL-3,BSD-2-clause, BSD-2.2-clause, BSD-3-clause, BSD-3-clause-JANET, BSD-3-clause-PADL, BSD-4-clause, BSD-4-clause-KTH, BSD-4-clause-UC, GPL-3, GPL-3+,GPL-3,UCB,BSD-2-clause, BSD-2.2-clause, BSD-3-clause, BSD-3-clause-JANET, BSD-3-clause-PADL, BSD-4-clause, BSD-4-clause-KTH, BSD-4-clause-UC, FSFULLR, GPL-3, GPL-3+, IBM-as-is, MIT-CMU, MIT-Export, MIT-OpenVision, OpenLDAP, OpenSSL, RSA-MD, SSLeay
libsasl2-modules-db:amd64	2.1.28+dfsg-10	Cyrus SASL - pluggable authentication modules (DB)	BSD-2-clause, BSD-2.2-clause, BSD-3-clause, BSD-3-clause-JANET, BSD-3-clause-PADL, BSD-4-clause, BSD-4-clause-KTH, BSD-4-clause-UC, FSFULLR, GPL-3, GPL-3+, IBM-as-is, MIT-CMU, MIT-Export, MIT-OpenVision, OpenLDAP, OpenSSL, RSA-MD, SSLeay,GPL-3,BSD-2-clause, BSD-2.2-clause, BSD-3-clause, BSD-3-clause-JANET, BSD-3-clause-PADL, BSD-4-clause, BSD-4-clause-KTH, BSD-4-clause-UC, GPL-3, GPL-3+,GPL-3,UCB,BSD-2-clause, BSD-2.2-clause, BSD-3-clause, BSD-3-clause-JANET, BSD-3-clause-PADL, BSD-4-clause, BSD-4-clause-KTH, BSD-4-clause-UC, FSFULLR, GPL-3, GPL-3+, IBM-as-is, MIT-CMU, MIT-Export, MIT-OpenVision, OpenLDAP, OpenSSL, RSA-MD, SSLeay
libseccomp2:amd64	2.5.4-1+b3	high level interface to Linux seccomp filter	LGPL-2.1,LGPL-2.1,LGPL-2.1,LGPL-2.1
libselinux1:amd64	3.4-1+b6	SELinux runtime shared libraries	GPL-2, LGPL-2.1,GPL-2, LGPL-2.1, public domain,GPL-3
libsemanage2:amd64	3.4-1+b5	SELinux policy management library	GPL, LGPL,GPL-3
libsemanage-common	3.4-1	Common files for SELinux policy management libraries	GPL, LGPL,GPL-3

libsep1:amd64	3.4-2.1	SELinux library for manipulating binary security policies	GPL-2, GPL-2+, LGPL-2.1+, Zlib, GPL-2, LGPL-2.1, GPL-2, GPL-2+, LGPL-2.1, LGPL-2.1+, GPL-2.1+, Zlib
libsmartcols1:amd64	2.38.1-5+b1	smart column output alignment library	BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain, GPL-2, GPL-3, LGPL, LGPL-2, LGPL-2.1, LGPL-3, BSD-3-clause, BSD-4-clause, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, public domain, GPL-3, UCB, AsIs, BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain
libsqLite3-0:amd64	3.40.1-2	SQLite 3 shared library	GPL-2+, public-domain, GPL-2, GPL-2, GPL-2+, public domain, GPL-3, GPL-2+, public-domain
libss2:amd64	1.47.0-2	command-line interface parsing library	Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e, Apache-2.0, GPL, GPL-2, LGPL-2, BSD-3-Clause, GPL-2, GPL-2+, LGPL-2, LGPL-2., GPL-3, AsIs, Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e
libssh2-1:amd64	1.10.0-3+b1	SSH2 client-side library	BSD3, BSD3
libssl3:amd64	3.0.9-1	Secure Sockets Layer toolkit - shared libraries	Apache-2.0, Artistic, Artistic or GPL-1+, GPL-1+, Apache-2.0, Artistic, GPL-1, GPL-1, GPL-1+, GPL-3, Apache-2.0, Artistic, Artistic or GPL-1+, GPL-1+
libstdc++6:amd64	12.2.0-14	GNU Standard C++ Library v3	Artistic, GFDL-1.2, GPL, GPL-2, GPL-3, LGPL, BSD-like license, GPL-2, GPL-2+, GPL-3, GPL-3+, GPL-3.0, GPL-3.0., GPL-compatible, LGPL-2.1, LGPL-2.1., Public domain, GPL-3, UCB, AsIs

libsvtav1enc1:amd64	1.4.1+dfsg-1	Scalable Video Technology for AV1 (libsvtav1enc shared library)	BSD-2-clause, BSD-3-Clause-Clear, BSD-3-clause, Expat, ISC, LGPL-2.1+, LGPL-2.1,BSD-2-clause, BSD-3-Clause-Clear, BSD-3-clause, LGPL-2.1+, LGPL-2.1.,AsIs,BSD-2-clause, BSD-3-Clause-Clear, BSD-3-clause, Expat, ISC, LGPL-2.1+
libsystemd0:amd64	252.6-1	systemd utility library	CC0-1.0, Expat, GPL-2 with Linux-sySCALL-note exception, GPL-2+, LGPL-2.1+, public-domain,CC0-1.0, GPL-2, LGPL-2.1,GPL-2, GPL-2+, LGPL-2.1, LGPL-2.1+, Public Domain, public domain,GPL-3,XCB,AsIs,CC0-1.0, Expat, GPL-2 with Linux-sySCALL-note exception, GPL-2+, LGPL-2.1+, public-domain
libtasn1-6:amd64	4.19.0-2	Manage ASN.1 structures (runtime)	GFDL-1.3, GPL-3, LGPL, LGPL-2.1,GPL-3., LGPL-2.1,GPL-3
libtext-glob-perl	0.11-3	Perl module for matching globbing patterns against text	Artistic, Artistic or GPL-1+, GPL-1+,Artistic, GPL-1,GPL-1, GPL-1+,GPL-3,Artistic, Artistic or GPL-1+, GPL-1+
libtiff6:amd64	4.5.0-6	Tag Image File Format (TIFF) library	Hylafax,Hylafax
libtinfo6:amd64	6.4-4	shared low-level terminfo library for terminal handling	BSD-3-clause, MIT/X11, X11,BSD-3-clause,X-Consortium,UCB,AsIs,BSD-3-clause, MIT/X11, X11
libtirpc3:amd64	1.3.3+ds-1	transport-independent RPC library	BSD-2-Clause, BSD-3-Clause, BSD-4-Clause, GPL-2, LGPL-2.1+, PERMISSIVE, __AUTO_PERMISSIVE__,GPL-2, LGPL-2.1,BSD-2-Clause, BSD-3-Clause, BSD-4-Clause, GPL-2, LGPL-2.1, LGPL-2.1+,GPL-3,UMB,BSD-2-Clause, BSD-3-Clause, BSD-4-Clause, GPL-2, LGPL-2.1+, PERMISSIVE, __AUTO_PERMISSIVE__
libtirpc-common	1.3.3+ds-1	transport-independent RPC library - common files	BSD-2-Clause, BSD-3-Clause, BSD-4-Clause, GPL-2, LGPL-2.1+, PERMISSIVE, __AUTO_PERMISSIVE__,GPL-2, LGPL-2.1,BSD-2-Clause, BSD-3-Clause, BSD-4-Clause, GPL-2, LGPL-2.1, LGPL-2.1+,GPL-3,UMB,BSD-2-Clause, BSD-3-Clause, BSD-4-Clause, GPL-2, LGPL-2.1+, PERMISSIVE, __AUTO_PERMISSIVE__

libtirpc-dev:amd64	1.3.3+ds-1	transport-independent RPC library - development files	BSD-2-Clause, BSD-3-Clause, BSD-4-Clause, GPL-2, LGPL-2.1+, PERMISSIVE, __AUTO_PERMISSIVE__,GPL-2, LGPL-2.1,BSD-2-Clause, BSD-3-Clause, BSD-4-Clause, GPL-2, LGPL-2.1, LGPL-2.1+,GPL-3,UMB,BSD-2-Clause, BSD-3-Clause, BSD-4-Clause, GPL-2, LGPL-2.1+, PERMISSIVE, __AUTO_PERMISSIVE__
libudev1:amd64	252.6-1	libudev shared library	CC0-1.0, Expat, GPL-2 with Linux-syscall-note exception, GPL-2+, LGPL-2.1+, public-domain,CC0-1.0, GPL-2, LGPL-2.1,GPL-2, GPL-2+, LGPL-2.1, LGPL-2.1+, Public Domain, public domain,GPL-3,XCB,AslIs,CC0-1.0, Expat, GPL-2 with Linux-syscall-note exception, GPL-2+, LGPL-2.1+, public-domain
libunistring2:amd64	1.0-2	Unicode string library for C	FreeSoftware, GFDL-1.2+, GPL-2+, GPL-2+ with distribution exception, GPL-3+, GPL-3+ or GFDL-1.2+, LGPL-3+, LGPL-3+ or GPL-2+, MIT,GFDL-1.2, GPL-2, GPL-3, LGPL-3,GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-3, LGPL-3+,GPL-3,X-Consortium,AslIs,FreeSoftware, GFDL-1.2+, GPL-2+, GPL-2+ with distribution exception, GPL-3+, GPL-3+ or GFDL-1.2+, LGPL-3+, LGPL-3+ or GPL-2+, MIT
libuuid1:amd64	2.38.1-5+b1	Universally Unique ID library	BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain,GPL-2, GPL-3, LGPL, LGPL-2, LGPL-2.1, LGPL-3,BSD-3-clause, BSD-4-clause, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, public domain,GPL-3,UCB,AslIs,BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain
libwebp7:amd64	1.2.4-0.2	Lossy compression of digital photographic images	Apache-2.0
libx11-6:amd64	2:1.8.4-2+deb12u	X11 client-side library	MIT license,OpenGroup,XCB,X-Consortium,AslIs,AslIs-KeithPackard

libx11-data	2:1.8.4-2+deb12u	X11 client-side library	MIT license,OpenGroup,XCB,X-Consortium,AsIs,AsIs-KeithPackard
libx265-199:amd64	3.5-2+b1	H.265/HEVC video stream encoder (shared library)	Expat, GPL-2+, ISC, LGPL-2.1+,GPL-2, LGPL-2.1,GPL-2, GPL-2+, LGPL-2.1, LGPL-2.1+,GPL-3,AsIs,Expat, GPL-2+, ISC, LGPL-2.1+
libxau6:amd64	1:1.0.9-1	X11 authorisation library	OpenGroup,AsIs
libxcb1:amd64	1.15-1	X C Binding	XCB,AsIs
libxdmcp6:amd64	1:1.1.2-3	X11 Display Manager Control Protocol library	OpenGroup,AsIs
libxpm4:amd64	1:3.5.12-1.1	X11 pixmap library	AsIs
libxxhash0:amd64	0.8.1-1	shared library for xxhash	BSD-2-clause, GPL-2,GPL-2,BSD-2-clause, GPL-2,GPL-3,BSD-2-clause, GPL-2
libyuv0:amd64	0.0~git20230123	Library for YUV scaling (shared library)	BSD-3-Clause, public-domain,BSD-3-Clause, public domain,BSD-3-Clause, public-domain
libzstd1:amd64	1.5.4+dfsg2-5	fast lossless compression algorithm	BSD-3-clause, BSD-3-clause or GPL-2, Expat, GPL-2, zlib,GPL-2,BSD-3-clause, GPL-2,GPL-3,AsIs,BSD-3-clause, BSD-3-clause or GPL-2, Expat, GPL-2, zlib
linux-libc-dev:amd64	6.1.37-1	Linux support headers for userspace development	BSD-2-clause, CRYPTOGAMS, GPL-2, GPL-2 or BSD-2-clause, GPL-2+-or-X11, LGPL-2.1, LGPL-2.1 or BSD-2-clause, Unicode-data, Xen-interface,GPL-2, LGPL-2.1,BSD-2-clause, GPL-2, GPL-2+-or-X11, GPL-compatible., LGPL-2.1,GPL-3,AsIs,BSD-2-clause, CRYPTOGAMS, GPL-2, GPL-2 or BSD-2-clause, GPL-2+-or-X11, LGPL-2.1, LGPL-2.1 or BSD-2-clause, Unicode-data, Xen-interface
login	1:4.13+dfsg1-1+b	system login tools	BSD-3-clause, GPL-1, GPL-2+, public-domain,GPL-1, GPL-2,BSD-3-clause, BSD-4-Clause, GPL-1, GPL-2, GPL-2+, public domain,GPL-3,BSD-3-clause, GPL-1, GPL-2+, public-domain

logsave	1.47.0-2	save the output of a command in a log file	Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e, Apache-2.0, GPL, GPL-2, LGPL-2, BSD-3-Clause, GPL-2, GPL-2+, LGPL-2, LGPL-2., GPL-3, AsIs, Apache-2, BSD-3-Clause, GPL or MIT-US-export, GPL-2, GPL-2+ with Texinfo exception, ISC, Kazlib, LGPL-2, Latex2e
manpages	6.03-2	Manual pages about using a GNU/Linux system	BSD-2-clause, BSD-3-clause, BSD-4-clause, Expat, GPL-1+, GPL-2, GPL-2+, Linux-man-pages-copyleft, GPL-2, BSD-2-clause, BSD-3-clause, BSD-4-clause, GPL-1+, GPL-2, GPL-2+, GPL-3, UCB, AsIs, BSD-2-clause, BSD-3-clause, BSD-4-clause, Expat, GPL-1+, GPL-2, GPL-2+, Linux-man-pages-copyleft
manpages-dev	6.03-2	Manual pages about using GNU/Linux for development	BSD-2-clause, BSD-3-clause, BSD-4-clause, Expat, GPL-1+, GPL-2, GPL-2+, Linux-man-pages-copyleft, GPL-2, BSD-2-clause, BSD-3-clause, BSD-4-clause, GPL-1+, GPL-2, GPL-2+, GPL-3, UCB, AsIs, BSD-2-clause, BSD-3-clause, BSD-4-clause, Expat, GPL-1+, GPL-2, GPL-2+, Linux-man-pages-copyleft
mawk	1.3.4.20200120-3	Pattern scanning and text processing language	CC-BY-3.0, GPL-2, X11, GPL-2, CREATIVE COMMONS, Creative Commons, GPL-2, public domain, GPL-3, X-Consortium, AsIs, CC-BY-3.0, GPL-2, X11
mount	2.38.1-5+b1	tools for mounting and manipulating filesystems	BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain, GPL-2, GPL-3, LGPL, LGPL-2, LGPL-2.1, LGPL-3, BSD-3-clause, BSD-4-clause, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, public domain, GPL-3, UCB, AsIs, BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain
ncurses-base	6.4-4	basic terminal type definitions	BSD-3-clause, MIT/X11, X11, BSD-3-clause, X-Consortium, UCB, AsIs, BSD-3-clause, MIT/X11, X11

ncurses-bin	6.4-4	terminal-related programs and man pages	BSD-3-clause, MIT/X11, X11,BSD-3-clause,X-Consortium,UCB,AsIs,BSD-3-clause, MIT/X11, X11
nodejs	18.16.1-deb-1nodejs	Node.js event-based server-side javascript engine	BSD" license
openssl	3.0.9-1	Secure Sockets Layer toolkit - cryptographic utility	Apache-2.0, Artistic, Artistic or GPL-1+, GPL-1+,Apache-2.0, Artistic, GPL-1,GPL-1, GPL-1+,GPL-3,Apache-2.0, Artistic, Artistic or GPL-1+, GPL-1+
passwd	1:4.13+dfsg1-1+b1	change and administer password and group data	BSD-3-clause, GPL-1, GPL-2+, public-domain,GPL-1, GPL-2,BSD-3-clause, BSD-4-Clause, GPL-1, GPL-2, GPL-2+, public domain,GPL-3,BSD-3-clause, GPL-1, GPL-2+, public-domain

perl	5.36.0-7	Larry Wall's Practical Extraction and Report Language	Artistic, Artistic or GPL-1+ or Artistic-dist, Artistic-2, Artistic-dist, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BZIP, CCO-1.0, DONT-CHANGE-THE-GPL, Expat, Expat or GPL-1+ or Artistic, GPL-1+, GPL-1+ or Artistic, GPL-1+ or Artistic or Artistic-dist, GPL-1+ or Artistic, GPL-2+, GPL-2+ or Artistic, GPL-3+-WITH-BISON-EXCEPTION, HSIEH-BSD, HSIEH-DERIVATIVE, LGPL-2.1, REGCOMP, REGCOMP, RRA-KEEP-THIS-NOTICE, SDBM-PUBLIC-DOMAIN, TEXT-TABS, Unicode, ZLIB, Artistic, GPL-1, GPL-2, LGPL-2.1, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BSD-like license, Creative Commons, GPL-1, GPL-1+, GPL-2, GPL-2+, GPL-3+-WITH-BISON-EXCEPTION, LGPL-2.1, MIT license, Public Domain, public domain, GPL-3, UCB, Asl, Artistic, Artistic or GPL-1+ or Artistic-dist, Artistic-2, Artistic-dist, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BZIP, CCO-1.0, DONT-CHANGE-THE-GPL, Expat, Expat or GPL-1+ or Artistic, GPL-1+, GPL-1+ or Artistic, GPL-1+ or Artistic or Artistic-dist, GPL-1+ or Artistic, GPL-2+, GPL-2+ or Artistic, GPL-3+-WITH-BISON-EXCEPTION, HSIEH-BSD, HSIEH-DERIVATIVE, LGPL-2.1, REGCOMP, REGCOMP, RRA-KEEP-THIS-NOTICE, SDBM-PUBLIC-DOMAIN, TEXT-TABS, Unicode, ZLIB
------	----------	---	---

perl-base	5.36.0-7	minimal Perl system	Artistic, Artistic or GPL-1+ or Artistic-dist, Artistic-2, Artistic-dist, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BZIP, CCO-1.0, DONT-CHANGE-THE-GPL, Expat, Expat or GPL-1+ or Artistic, GPL-1+, GPL-1+ or Artistic, GPL-1+ or Artistic or Artistic-dist, GPL-1+ or Artistic, GPL-2+, GPL-2+ or Artistic, GPL-3+-WITH-BISON-EXCEPTION, HSIEH-BSD, HSIEH-DERIVATIVE, LGPL-2.1, REGCOMP, REGCOMP, RRA-KEEP-THIS-NOTICE, SDBM-PUBLIC-DOMAIN, TEXT-TABS, Unicode, ZLIB, Artistic, GPL-1, GPL-2, LGPL-2.1, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BSD-like license, Creative Commons, GPL-1, GPL-1+, GPL-2, GPL-2+, GPL-3+-WITH-BISON-EXCEPTION, LGPL-2.1, MIT license, Public Domain, public domain, GPL-3, UCB, Asl, Artistic, Artistic or GPL-1+ or Artistic-dist, Artistic-2, Artistic-dist, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BZIP, CCO-1.0, DONT-CHANGE-THE-GPL, Expat, Expat or GPL-1+ or Artistic, GPL-1+, GPL-1+ or Artistic, GPL-1+ or Artistic or Artistic-dist, GPL-1+ or Artistic, GPL-2+, GPL-2+ or Artistic, GPL-3+-WITH-BISON-EXCEPTION, HSIEH-BSD, HSIEH-DERIVATIVE, LGPL-2.1, REGCOMP, REGCOMP, RRA-KEEP-THIS-NOTICE, SDBM-PUBLIC-DOMAIN, TEXT-TABS, Unicode, ZLIB
-----------	----------	---------------------	---

perl-modules-5.36	5.36.0-7	Core Perl modules	Artistic, Artistic or GPL-1+ or Artistic-dist, Artistic-2, Artistic-dist, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BZIP, CCO-1.0, DONT-CHANGE-THE-GPL, Expat, Expat or GPL-1+ or Artistic, GPL-1+, GPL-1+ or Artistic, GPL-1+ or Artistic or Artistic-dist, GPL-1+ or Artistic, GPL-2+, GPL-2+ or Artistic, GPL-3+-WITH-BISON-EXCEPTION, HSIEH-BSD, HSIEH-DERIVATIVE, LGPL-2.1, REGCOMP, REGCOMP, RRA-KEEP-THIS-NOTICE, SDBM-PUBLIC-DOMAIN, TEXT-TABS, Unicode, ZLIB, Artistic, GPL-1, GPL-2, LGPL-2.1, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BSD-like license, Creative Commons, GPL-1, GPL-1+, GPL-2, GPL-2+, GPL-3+-WITH-BISON-EXCEPTION, LGPL-2.1, MIT license, Public Domain, public domain, GPL-3, UCB, AsIs, Artistic, Artistic or GPL-1+ or Artistic-dist, Artistic-2, Artistic-dist, BSD-3-clause, BSD-3-clause-GENERIC, BSD-3-clause-with-weird-numbering, BSD-4-clause-POWERDOG, BZIP, CCO-1.0, DONT-CHANGE-THE-GPL, Expat, Expat or GPL-1+ or Artistic, GPL-1+, GPL-1+ or Artistic, GPL-1+ or Artistic or Artistic-dist, GPL-1+ or Artistic, GPL-2+, GPL-2+ or Artistic, GPL-3+-WITH-BISON-EXCEPTION, HSIEH-BSD, HSIEH-DERIVATIVE, LGPL-2.1, REGCOMP, REGCOMP, RRA-KEEP-THIS-NOTICE, SDBM-PUBLIC-DOMAIN, TEXT-TABS, Unicode, ZLIB
pinentry-curses	1.2.1-1	curses-based PIN or pass-phrase entry dialog for GnuPG	GPL-2, GPL-2+, LGPL-3+, LGPL-3+ or GPL-2+, X11, GPL-2, LGPL-3, GPL-2, GPL-2+, LGPL-3+, LGPL-3., GPL-3, X-Consortium, AsIs, GPL-2, GPL-2+, LGPL-3+, LGPL-3+ or GPL-2+, X11

python3.11-minimal	3.11.2-6	Minimal subset of the Python language (version 3.11)	GPL-2,BSD-like license, BSD-style, GPL-2, GPL-compatible, GPL-compatible licenses,GPL-3,UCB,Asls,, * Permission to use this software in any way is granted without, By obtaining, using, and/or copying this software and/or its, Permission is hereby granted, free of charge, to any person, Permission is hereby granted, free of charge, to any person obtaining, Permission to use, copy, modify, Redistribution, This software is provided 'as-is', without any express or implied, This software is provided as-is, without express or implied, binary forms, with or without, distribute this software, distribute this software and, distribute this software for any, its, use in source
python3-minimal	3.11.2-1+b1	minimal subset of the Python language (default python3 version)	GPL-compatible, GPL-compatible licenses,GPL-3,Asls
readline-common	8.2-1.3	GNU readline and history libraries, common files	GFDL-NIV-1.3+, GPL-2+, GPL-3, GPL-3+, ISC-no-attribution,GFDL, GPL-2, GPL-3,GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2.1+.,GPL-3,GFDL-NIV-1.3+, GPL-2+, GPL-3, GPL-3+, ISC-no-attribution
rpcsvc-proto	1.4.3-1	RPC protocol compiler and definitions	BSD-3-clause, GPL-2+-autoconf-exception, GPL-3+-autoconf-exception, MIT, permissive-autoconf-m4, permissive-autoconf-m4-no-warranty, permissive-configure, permissive-fsf, permissive-makefile-in,GPL-2, GPL-3,BSD-3-clause, GPL-2, GPL-2+-autoconf-exception, GPL-3, GPL-3+-autoconf-exception,GPL-3,X-Consortium,Asls,BSD-3-clause, GPL-2+-autoconf-exception, GPL-3+-autoconf-exception, MIT, permissive-autoconf-m4, permissive-autoconf-m4-no-warranty, permissive-configure, permissive-fsf, permissive-makefile-in

sed	4.9-1	GNU stream editor for filtering/transforming text	BSD-4-clause-UC, BSL-1, GFDL-NIV-1.3+, GPL-3+, ISC, X11, pcre,GFDL-1.3, GPL-3,BSD-4-clause-UC, Boost Software License, GPL-3, GPL-3+, public domain,GPL-3,X-Consortium,UCB,Asls,BSD-4-clause-UC, BSL-1, GFDL-NIV-1.3+, GPL-3+, ISC, X11, pcre
sysvinit-utils	3.06-4	System-V-like utilities	GPL-2.0, GPL-2.0+, GPL-3.0,GPL-2, GPL-3,GPL-2., GPL-2.0, GPL-2.0+, GPL-3., GPL-3.0,GPL-3,GPL-2.0, GPL-2.0+, GPL-3.0
tar	1.34+dfsg-1.2	GNU version of the tar archiving utility	GPL-2+, GPL-3+, GPL-3+ with Bison exception, LGPL-3+,GPL-2, GPL-3, LGPL-3,GPL-2+, GPL-2., GPL-3+, GPL-3., LGPL-3+, LGPL-3., public domain,GPL-3,GPL-2+, GPL-3+, GPL-3+ with Bison exception, LGPL-3+
tzdata	2023c-5	time zone and daylight-saving time data	public-domain,public domain,public-domain
usrmerge	35	Convert the system to the merged /usr directories scheme	GPL-2+,GPL-2,GPL-2, GPL-2+,GPL-3,GPL-2+
util-linux	2.38.1-5+b1	miscellaneous system utilities	BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain,GPL-2, GPL-3, LGPL, LGPL-2, LGPL-2.1, LGPL-3,BSD-3-clause, BSD-4-clause, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, public domain,GPL-3,UCB,Asls,BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain
util-linux-extra	2.38.1-5+b1	interactive login tools	BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain,GPL-2, GPL-3, LGPL, LGPL-2, LGPL-2.1, LGPL-3,BSD-3-clause, BSD-4-clause, GPL-2, GPL-2+, GPL-3, GPL-3+, LGPL-2, LGPL-2+, LGPL-2.1, LGPL-2.1+, LGPL-3, LGPL-3+, public domain,GPL-3,UCB,Asls,BSD-3-clause, BSD-4-clause, BSLA, GPL-2, GPL-2+, GPL-3+, LGPL, LGPL-2+, LGPL-2.1+, LGPL-3+, MIT, public-domain

yarn	1.22.19-1	Fast, reliable, and secure dependency management.	BSD-2-clause,BSD-2-clause,BSD-2-clause
zlib1g:amd64	1:1.2.13.dfsg-1	compression library - runtime	Zlib,Zlib