

Instant VideoWall controller packages

Everything you need for your control room in one bundle



The video wall controller is the heart of a visualization solution. But because a heart needs a body to function, Barco offers to bundle the controller with other equipment in its portfolio. This not only includes cables, but also tiled LCD panels and a free-standing video wall.

Pick the most appropriate controller

Depending on the application, Barco proposes the most appropriate controller. If 3D applications (like Google Earth) need to be run, and IP streaming support is needed, then the TransForm NSD (with pre-installed CMS management software) is the controller of choice. For other applications, Barco proposes the standard TransForm ECU-110 controller. We offer the menu, you pick the course!

When you have selected your controller, you have the option to choose between digital and analog inputs, or a combination:

- 2x DVI
- 8x Analog Video
- 4x DVI + 8x Analog Video

Choose your video wall (optional)

For this package, Barco selected the 46" OverView EVD-4621 and OVD-4621, and the 55" OverView KVD-5521 and OVD-5521 tiled LCD video wall panels. With their extremely thin gap, they form a great looking, bright video wall in 2x2, 3x2 or 4x2 setup. The 55" model is also available in combination with the OBLX series free-standing structure.

The packages in a nutshell:

Standard:

- TransForm ECU-110 or TransForm NSD
- Software: DisplayControl software (TransForm ECU-110) or CMS (TransForm NSD)

Optional:

- Four, six or eight OverView EVD-4621 or OverView MVD-5521 panels in 2x2, 3x2 or 4x2 configuration (including basic wall mounts and cabling)
- OBLX series free-standing structure

General specifications

Configurations

ECU-110 package:

-
- TransForm ECU-110 controller
 - Input options:
 - Barco Control Manager software
 - 20m DVI cable for connection with video wall
-

Last updated: 15 Mar 2023

© 2018 Barco nv. All rights reserved. Reproduction in whole or in part without written permission is prohibited. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. Due to continued innovation, information and technical specifications are subject to change without prior notice. Please check www.barco.com for the latest specifications.