

SXGA+, 6,000 lumens, single-chip DLP projector





Product specifications	ID LR-6
General specifications	
Light output	6,000 ANSI lumens
Contrast	2,000:1
Resolution	1400x1050 SXGA+
Chip type	Single-chip DLP with BrilliantColor processing
Lamp	2x250W UHP
Lamp lifetime	1,500 hrs per lamp
Weight	12,9kg (28,5lbs) / 17,5kg (38,5lbs) shipping weight
Dimensions (WxLxH)	195mm x 415mm x 590mm / 7"68 x 16"34 x 23"23
Lens Shift Vertical	-30% to +110%
Inputs	 1x 5-BNC: RGBHV, component video 1x composite video (BNC) 1x S-video 1x VGA (D15 connector) 1x DVI-D Optional SDI input
Communication Port	1x RS232
Video	 PAL, SECAM, NTSC signals Composite, S-video, component or RGB formats All current HDTV standards (720i, 720p, 1080i, 1080p)
Data	 DVI sources up to SXGA+ Apple Macintosh formats Electronic workstations with a resolution of up to 1600x1200 / 75Hz All computer graphics formats up to UXGA / 75 Hz
Scan Frequencies	 Horizontal 15kHz - 110Hz Vertical 25Hz - 150Hz
Safety Regulations	Compliant with UL1950 and EN1950
Electromagnetic Interference	Compliant with FCC rules and regulations
AC power	90-254 VAC / 50-60Hz
Max. power consumption	2,400 BTU/h

Last updated: 15 Mar 2023

© 2018 Barco nv. All rights reserved. Reproduction in whole or in part without written permission is prohibited. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. Due to continued innovation, information and technical specifications are subject to change without prior notice. Please check www.barco.com for the latest specifications.

BARCO